

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|---------------------|
| L1 | 0 | display\$6 same cholesteric and voltage \$1 same level\$1 same (bi-polar or bipolar or bi same polar) and control\$6 and duty same cycle\$1 and pixel \$1 same voltage\$1 same level\$1 and "345"/\$.ccls. and writ \$6 and average\$6 same voltage\$1 same apply\$6 | US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/20 15:45 |
| L2 | 2 | display\$6 same cholesteric and voltage \$1 same level\$1 same (bi-polar or bipolar or bi same polar) and control\$6 and duty same cycle\$1 and pixel \$1 same voltage\$1 same level\$1 and "345"/\$.ccls. and (writ \$6 and average\$6 same voltage\$1 and apply\$6 and zero) | US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/20 15:45 |
| L4 | 2 | display\$6 same cholesteric and voltage \$1 same level\$1 same (bi-polar or bipolar or bi same polar) and control\$6 and duty same cycle\$1 and pixel \$1 same voltage\$1 same level\$1 and "345"/\$.ccls. and (writ \$6 and voltage\$1 and zero and average\$6) | US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/20 15:58 |
| L6 | 0 | "20060232531" and cycle\$1 and pixel\$1 same volatge\$1 same level\$1 | US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/20 17:09 |

| | | | | | | |
|-----|----|--|---|----|-----|---------------------|
| L7 | 2 | "20030034945" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/20 17:31 |
| L8 | 1 | "20030034945" and pixel\$1 and voltage\$1 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/20 17:34 |
| L9 | 1 | display\$6 same cholesteric and voltage \$1 same level\$1 same (bi-polar or bipolar or bi same polar) and control\$6 and duty same cycle\$1 and pixel \$1 same voltage\$1 same level\$1 and gray \$6 same scal\$6 and "345"/\$.ccls. and writ \$6 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/20 17:47 |
| L10 | 5 | display\$6 and voltage \$1 same level\$1 same control\$6 same duty same cycle\$1 same pixel\$1 same voltage \$1 same level\$1 and gray\$6 same scal\$6 and "345"/\$.ccls. and writ\$6 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/20 17:48 |
| L11 | 0 | display\$6 and voltage \$1 same level\$1 same control\$6 same duty same cycle\$1 same pixel\$1 same voltage \$1 same level\$1 same gray\$6 same scal\$6 and "345"/\$.ccls. and writ\$6 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/20 17:49 |
| L12 | 9 | display\$6 and voltage \$1 same level\$1 same control\$6 same duty same cycle\$1 same pixel\$1 same voltage \$1 same level\$1 same gray\$6 same scal\$6 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/20 17:49 |
| S1 | 22 | display\$6 and voltage \$1 same level\$1 and "O" and "+ U" and -U | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/19 21:57 |

| | | | | | | |
|----|-------|---|---|----|-----|---------------------|
| S3 | 0 | display\$6 and voltage\$1 same level\$1 and "O" and "+ U" and "-U" and voltage\$1 same level\$1 same respective\$6 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/19 21:58 |
| S4 | 0 | display\$6 and voltage\$1 same level\$1 and "O" and "+ U" and "-U" and voltage\$1 same level\$1 same duty same cycle\$1 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/19 21:59 |
| S5 | 12228 | display\$6 and voltage\$1 same level\$1 and voltage\$1 same level\$1 same respective\$6 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/19 21:59 |
| S6 | 12 | display\$6 and voltage\$1 same level\$1 and voltage\$1 same level\$1 same respective\$6 and control\$6 same duty same cycle\$1 same pixel\$1 same voltage\$1 same level\$1 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/19 22:00 |
| S7 | 2 | display\$6 and voltage\$1 same level\$1 and voltage\$1 same level\$1 same respective\$6 and control\$6 same duty same cycle\$1 same pixel\$1 same voltage\$1 same level\$1 and determine\$6 and gray\$6 same level\$1 and average\$6 same voltage\$1 same appl\$6 and during same writ\$6 same cycle\$1 same zero | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/19 22:04 |
| S8 | 2 | display\$6 and voltage\$1 same level\$1 and voltage\$1 same level\$1 same respective\$6 and control\$6 same duty same cycle\$1 same pixel\$1 same voltage\$1 same level\$1 and voltage\$1 same level\$1 same writ\$6 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/19 22:06 |

| | | | | | | |
|-----|-------|--|---|----|-----|---------------------|
| S9 | 6 | display\$6 and voltage \$1 same level\$1 and voltage\$1 same level \$1 same respective\$6 and control\$6 same duty same cycle\$1 same pixel\$1 same voltage\$1 same level \$1 and writ\$6 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/19 22:07 |
| S10 | 2 | display\$6 and voltage \$1 same level\$1 and voltage\$1 same level \$1 same respective\$6 and control\$6 same duty same cycle\$1 same pixel\$1 same voltage\$1 same level \$1 and writ\$6 same pixel\$1 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/19 22:09 |
| S11 | 22 | display\$6 and voltage \$1 same level\$1 and "O" and "+ U" and "-U" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/20 12:41 |
| S12 | 1 | display\$6 and voltage \$1 same level\$1 and "O" and "+ U" and "-U" and "345"/\$.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/20 12:50 |
| S13 | 16522 | display\$6 and voltage \$1 same level\$1 and "345"/\$.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/20 12:50 |
| S14 | 26 | display\$6 and voltage \$1 same level\$1 same control\$6 same duty same cycle\$1 same pixel\$1 same voltage \$1 same level\$1 and "345"/\$.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/20 12:51 |
| S15 | 2 | "20060232531" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/20 12:57 |
| S16 | 0 | "20060232531" and duty same cycle\$1 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/20 13:02 |

| | | | | | | |
|-----|----|--|---|----|-----|---------------------|
| S17 | 0 | "20060232531" and duty and cycle\$1 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/20 13:02 |
| S18 | 1 | "20060232531" and cycle\$1 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/20 13:02 |
| S19 | 14 | display\$6 and voltage\$1 same level\$1 same control\$6 same duty same cycle\$1 same pixel\$1 same voltage\$1 same level\$1 and "345"/\$.ccls. and writ\$6 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/20 13:31 |
| S20 | 3 | display\$6 same cholesteric and voltage\$1 same level\$1 same control\$6 same duty same cycle\$1 same pixel\$1 same voltage\$1 same level\$1 and "345"/\$.ccls. and writ\$6 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/20 13:34 |
| S21 | 0 | display\$6 and voltage\$1 same level\$1 same bipolar same control\$6 same duty same cycle\$1 same pixel\$1 same voltage\$1 same level\$1 and "345"/\$.ccls. and writ\$6 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/20 13:42 |
| S22 | 2 | display\$6 same cholesteric and voltage\$1 same level\$1 same (bi-polar or bipolar or bi same polar) and control\$6 same duty same cycle\$1 same pixel\$1 same voltage\$1 same level\$1 and "345"/\$.ccls. and writ\$6 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/20 13:44 |

| | | | | | | |
|-----|---|---|---|----|-----|---------------------|
| S23 | 7 | display\$6 same cholesteric and voltage \$1 same level\$1 same (bi-polar or bipolar or bi same polar) and control\$6 and duty same cycle\$1 and pixel \$1 same voltage\$1 same level\$1 and "345"/\$.ccls. and writ \$6 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/20 13:44 |
|-----|---|---|---|----|-----|---------------------|

6/20/2008 5:55:25 PM

C:\Documents and Settings\pdharia\My Documents\EAST\Workspaces\10677764 06-19-2008.wsp